

WP-HDPE 雙層纏繞管規格表

規格	WP-4B		WP-8C	
	內徑 mm±3%	外徑 mm±3%	內徑 mm±3%	外徑 mm±3%
WP150	150	170	150	174
WP200	200	224	200	230
WP250	250	274	250	280
WP300	300	330	300	340
WP400	400	440	400	450
WP500	500	550	500	562
WP600	600	662	600	678
WP700	700	778	700	788
WP800	800	888	800	900
WP900	900	1000	900	1012
WP1000	1000	1112	1000	1124
WP1200	1200	1324	1200	1350

本公司保持修改權利

WP-4B 普通級(抗壓強度 1.5kgf/m)以上 (內白外黑)

WP-8C 加強級(抗壓強度 3.5kgf/m)以上 (內白外黑加橘色警示條)

WP-10C 特強級(抗壓剛性 1000kpa)以上 (內白外黑加橘色警示條)




WP-HDPE 雙層纏繞污水管-內白外黑加橘色警示條




WP-HDPE 雙層纏繞排水管-內白外黑

WP-HDPE 雙層纏繞管 異型接頭規格表




WP-纏繞管 L 接頭

編號	內徑	外徑	L1	L2	編號	內徑	外徑	L1	L2
PS-1.5kgf/m					PS-3.5kgf/m				
WP150-4L	0.15	0.170	0.20	0.37	WP150-8L	0.15	0.174	0.20	0.37
WP200-4L	0.20	0.224	0.20	0.42	WP200-8L	0.20	0.230	0.20	0.43
WP250-4L	0.25	0.274	0.20	0.47	WP250-8L	0.25	0.280	0.20	0.48
WP300-4L	0.30	0.330	0.25	0.58	WP300-8L	0.30	0.340	0.25	0.59
WP400-4L	0.40	0.440	0.25	0.69	WP400-8L	0.40	0.450	0.25	0.70
WP500-4L	0.50	0.550	0.30	0.85	WP500-8L	0.50	0.562	0.30	0.86
WP600-4L	0.60	0.662	0.30	0.96	WP600-8L	0.60	0.678	0.30	0.98
WP700-4L	0.70	0.788	0.35	1.14	WP700-8L	0.70	0.788	0.35	1.14
WP800-4L	0.80	0.888	0.35	1.24	WP800-8L	0.80	0.900	0.35	1.25
WP900-4L	0.90	1.000	0.40	1.40	WP900-8L	0.90	1.012	0.40	1.41
WP1000-4L	1.00	1.112	0.40	1.51	WP1000-8L	1.00	1.124	0.40	1.52
WP1200-4L	1.20	1.324	0.40	1.72	WP1200-8L	1.20	1.350	0.40	1.75




WP-纏繞管 T 接頭

編號	內徑	外徑	T1	T2	編號	內徑	外徑	T1	T2
PS-1.5kgf/m					PS-3.5kgf/m				
WP150-4T	0.15	0.170	0.20	0.57	WP150-8T	0.15	0.174	0.20	0.57
WP200-4T	0.20	0.224	0.20	0.62	WP200-8T	0.20	0.230	0.20	0.63
WP250-4T	0.25	0.274	0.20	0.67	WP250-8T	0.25	0.280	0.20	0.68
WP300-4T	0.30	0.330	0.25	0.83	WP300-8T	0.30	0.340	0.25	0.84
WP400-4T	0.40	0.440	0.25	0.94	WP400-8T	0.40	0.450	0.25	0.95
WP500-4T	0.50	0.550	0.30	1.15	WP500-8T	0.50	0.562	0.30	1.16
WP600-4T	0.60	0.662	0.30	1.26	WP600-8T	0.60	0.678	0.30	1.28
WP700-4T	0.70	0.788	0.35	1.49	WP700-8T	0.70	0.788	0.35	1.49
WP800-4T	0.80	0.888	0.35	1.59	WP800-8T	0.80	0.900	0.35	1.60
WP900-4T	0.90	1.000	0.40	1.80	WP900-8T	0.90	1.012	0.40	1.81
WP1000-4T	1.00	1.112	0.40	1.91	WP1000-8T	1.00	1.124	0.40	1.92
WP1200-4T	1.20	1.324	0.40	2.12	WP1200-8T	1.20	1.350	0.40	2.15




WP-纏繞管+接頭

編號 PS-1.5kgf/m	內徑	外徑	+1	+2	編號 PS-3.5kgf/m	內徑	外徑	+1	+2
WP150-4+	0.15	0.170	0.20	0.57	WP150-8+	0.15	0.174	0.20	0.57
WP200-4+	0.20	0.224	0.20	0.62	WP200-8+	0.20	0.230	0.20	0.63
WP250-4+	0.25	0.274	0.20	0.67	WP250-8+	0.25	0.280	0.20	0.68
WP300-4+	0.30	0.330	0.25	0.83	WP300-8+	0.30	0.340	0.25	0.84
WP400-4+	0.40	0.440	0.25	0.94	WP400-8+	0.40	0.450	0.25	0.95
WP500-4+	0.50	0.550	0.30	1.15	WP500-8+	0.50	0.562	0.30	1.16
WP600-4+	0.60	0.662	0.30	1.26	WP600-8+	0.60	0.678	0.30	1.28
WP700-4+	0.70	0.788	0.35	1.49	WP700-8+	0.70	0.788	0.35	1.49
WP800-4+	0.80	0.888	0.35	1.59	WP800-8+	0.80	0.900	0.35	1.60
WP900-4+	0.90	1.000	0.40	1.80	WP900-8+	0.90	1.012	0.40	1.81
WP1000-4+	1.00	1.112	0.40	1.91	WP1000-8+	1.00	1.124	0.40	1.92
WP1200-4+	1.20	1.324	0.40	2.12	WP1200-8+	1.20	1.350	0.40	2.15



WP-纏繞管 Y 接頭

編號 PS-1.5kgf/m	內徑	外徑	Y1	Y2	編號 PS-3.5kgf/m	內徑	外徑	Y1	Y2
WP150-4Y	0.15	0.170	0.20	0.64	WP150-8Y	0.15	0.174	0.20	0.65
WP200-4Y	0.20	0.224	0.20	0.72	WP200-8Y	0.20	0.230	0.20	0.73
WP250-4Y	0.25	0.274	0.20	0.79	WP250-8Y	0.25	0.280	0.20	0.80
WP300-4Y	0.30	0.330	0.25	0.97	WP300-8Y	0.30	0.340	0.25	0.98
WP400-4Y	0.40	0.440	0.25	1.12	WP400-8Y	0.40	0.450	0.25	1.14
WP500-4Y	0.50	0.550	0.30	1.38	WP500-8Y	0.50	0.562	0.30	1.39
WP600-4Y	0.60	0.662	0.30	1.54	WP600-8Y	0.60	0.678	0.30	1.56
WP700-4Y	0.70	0.788	0.35	1.81	WP700-8Y	0.70	0.788	0.35	1.81
WP800-4Y	0.80	0.888	0.35	1.96	WP800-8Y	0.80	0.900	0.35	1.97
WP900-4Y	0.90	1.000	0.40	2.21	WP900-8Y	0.90	1.012	0.40	2.23
WP1000-4Y	1.00	1.112	0.40	2.37	WP1000-8Y	1.00	1.124	0.40	2.39
WP1200-4Y	1.20	1.324	0.40	2.67	WP1200-8Y	1.20	1.350	0.40	2.71



WP-纏繞管 L 接頭

編號 PS-1.5kgf/m	內徑	外徑	L1	L2	編號 PS-3.5kgf/m	內徑	外徑	L1	L2
WP150-4L1	0.15	0.170	0.20	0.27	WP150-8L1	0.15	0.174	0.20	0.27
WP200-4L1	0.20	0.224	0.20	0.29	WP200-8L1	0.20	0.230	0.20	0.30
WP250-4L1	0.25	0.274	0.20	0.31	WP250-8L1	0.25	0.280	0.20	0.32
WP300-4L1	0.30	0.330	0.25	0.39	WP300-8L1	0.30	0.340	0.25	0.39
WP400-4L1	0.40	0.440	0.25	0.43	WP400-8L1	0.40	0.450	0.25	0.44
WP500-4L1	0.50	0.550	0.30	0.53	WP500-8L1	0.50	0.562	0.30	0.53
WP600-4L1	0.60	0.662	0.30	0.57	WP600-8L1	0.60	0.678	0.30	0.58
WP700-4L1	0.70	0.788	0.35	0.68	WP700-8L1	0.70	0.788	0.35	0.68
WP800-4L1	0.80	0.888	0.35	0.72	WP800-8L1	0.80	0.900	0.35	0.72
WP900-4L1	0.90	1.000	0.40	0.81	WP900-8L1	0.90	1.012	0.40	0.82
WP1000-4L1	1.00	1.112	0.40	0.86	WP1000-8L1	1.00	1.124	0.40	0.87
WP1200-4L1	1.20	1.324	0.40	0.95	WP1200-8L1	1.20	1.350	0.40	0.96



WP-纏繞管 D 塞頭

編號 PS-1.5kgf/m	內徑	外徑	D1	編號 PS-3.5kgf/m	內徑	外徑	D1
WP150-4D	0.15	0.170	0.20	WP150-8D	0.15	0.174	0.20
WP200-4D	0.20	0.224	0.20	WP200-8D	0.20	0.230	0.20
WP250-4D	0.25	0.274	0.20	WP250-8D	0.25	0.280	0.20
WP300-4D	0.30	0.330	0.25	WP300-8D	0.30	0.340	0.25
WP400-4D	0.40	0.440	0.25	WP400-8D	0.40	0.450	0.25
WP500-4D	0.50	0.550	0.30	WP500-8D	0.50	0.562	0.30
WP600-4D	0.60	0.662	0.30	WP600-8D	0.60	0.678	0.30
WP700-4D	0.70	0.788	0.35	WP700-8D	0.70	0.788	0.35
WP800-4D	0.80	0.888	0.35	WP800-8D	0.80	0.900	0.35
WP900-4D	0.90	1.000	0.40	WP900-8D	0.90	1.012	0.40
WP1000-4D	1.00	1.112	0.40	WP1000-8D	1.00	1.124	0.40
WP1200-4D	1.20	1.324	0.40	WP1200-8D	1.20	1.350	0.40